EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits Search Query | | DBs | Default Operator | Plurals | Time Stamp |
|----------|---|--|---------------------------|---------------------|---------|---------------------|
| L15 | 29 | ("4766095" "5324888" "5734155" "5981945" "6121675").PN. OR ("6627872").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 09:11 |
| L16 | 100 | ("2096693" "2192869" "3510732" "3593055" "3602758" "3669478" "3691482" "3699478" "3819974" "3875456" "3932881" "4298820" "4479886" "4727283" "4780752" "5019746" "5107317" "5126214" "5202777" "5535230" "5798537" "5847507" "5959316" "5998925" "6069440").PN. OR ("6812500").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 09:25 |
| L18 | 45 | ("3018689" "3880528" "4055761" "4293190" "4390220" "4433886" "4744009" "4801998" "4843313" "4936784" "4971930" "4980635" "4999142" "5001315" "5444520" "5579164" "5590787" "5617131" "5801374" "5821532" "5867368" "5949655" "6188841" "6266197").PN. OR ("6455774").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 09:29 |
| L19 | 1 | "20070274636" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L20 | 188 (((sometimes or often or also or frequently or commonly or once or typically or usually or regularly or generally or better) near1 (call\$3 or refer \$4 or known or dubbed)) or (synonymous or synonym or ((equivalent or similar or alternat\$3) near2 (word or concept or term)))) near10 (opto\$1electronic or opto electronic) | | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L21 | 8759 | (opto\$1electronic or opto electronic).ti,clm. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |

| L22 | 1059 | (opto\$1electronic or opto electronic) module | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
|-----|--------|---|---------------------------|-----|----|---------------------|
| L23 | 8 | ("5040868" or "4695871" or "5153734" or "6627872" or "4168102" or "5920120").pn. or "20030185526" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L24 | 1 | DE-10023353- A \$ | DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L25 | 1 | DE-3331451- C \$ | DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L26 | 1 | JP-03218670- A \$ | DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L27 | 1 | EP-1022787- A \$ | DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L28 | 1 | JP-61214566-A\$ | DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L29 | 1 | JP-10222080-A\$ | DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L30 | 1238 | (Optic\$2 or (electro optic\$2) or electrooptic\$2 or (opto electronic) or optoelectronic) same (irradiat\$3 or bombard \$5 or blast\$3 or launch\$3 or strik\$3 or (fire or firing) adj upon or radiat\$3 or ((expos \$3 or illuminat\$3 or luminat \$3) near4 (radiation or electromagnetic or EM or radio) adj (waves or frequencies))) same (press or pressing or pressed or pressure or pression or compress\$3 or squish\$3 or lead frame or lead frame or substrate or metal frame\$4 or PCB or protocol circuit board or carrier or wafer) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 |
| L31 | 222784 | (Optic\$2 or (electro optic\$2) or electrooptic\$2 or (opto electronic) or optoelectronic) and (irradiat\$3 or bombard\$5 or blast\$3 or launch\$3 or strik \$3 or (fire or firing) adj upon or radiat\$3 or ((expos\$3 or illuminat\$3 or luminat\$3) near4 (radiation or electromagnetic or EM or radio) adj (waves or frequencies))) and (press or pressing or pression or | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 |

| | | compress\$3 or push\$3 or squeez\$3 or squish\$3 or squish\$3 or squash\$3) and (separat\$4 or split\$4 or apart or divid\$4 or distan\$4) and (leadframe or lead frame or substrate or metal frame\$4 or PCB or protocol circuit board or carrier or wafer) | | an ann an ann ann ann ann ann ann ann a | | |
|-----|------|--|---------------------------|---|----|---------------------|
| L32 | 44 | (Optic\$2 or (electro optic\$2) or electrooptic\$2 or (opto electronic) or optoelectronic) with (irradiat\$3 or bombard \$5 or blast\$3 or launch\$3 or strik\$3 or (fire or firing) adj upon or radiat\$3 or luminat \$3) near4 (radiation or electromagnetic or EM or radio) adj (waves or frequencies))) with (press or pressing or pressed or pressure or compress\$3 or squish\$3 or squash\$3 or smash\$3) with (separat\$4 or split\$4 or apart or divid\$4 or distan\$4) with (leadframe or lead frame or substrate or metal frame \$4 or PCB or protocol circuit board or carrier or wafer) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 |
| L33 | 3949 | L31 and (257/98- 99,116,434,680-681.ccls. or 438/22,25-27,29,48,115-116. ccls. or 385/31-41,92-94. ccls.) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L34 | 24 | L30 and (257/98- 99,116,434,680-681.ccls. or 438/22,25-27,29,48,115-116. ccls. or 385/31-41,92-94. ccls.) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L35 | 2 | L32 and (257/98- 99,116,434,680-681.ccls. or 438/22,25-27,29,48,115-116. ccls. or 385/31-41,92-94. ccls.) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L36 | 1 | DE-10129785\$18-A\$ | EPO; JPO; DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L37 | 2 | WO-03001253-a\$ | EPO; JPO; DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L38 | 1 | US-5513289- A \$ | EPO; JPO; DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L39 | 2 | jp-05145121- A \$ | EPO; JPO; DERWENT | ADJ | ON | 2010/09/01 10:24 |

| L40 | 1 | WO-0024062-a\$ | EPO; JPO; DERWENT | ADJ | ON | 2010/09/01 10:24 |
|-----|--------|--|---------------------------|-----|----|---------------------|
| L41 | 2 | JP-62196878- A \$ | EPO; JPO; DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L42 | 1 | us-4843280- A \$ | EPO; JPO; DERWENT | ADJ | ON | 2010/09/01 10:24 |
| L43 | 1 | "6746295".pn. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L44 | 1 | "20030211804" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L45 | 8 | "10/007398" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L46 | 1 | "20020057057" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L47 | 18 | ("3875456" "5043716" "5847507" "6155699").PN. OR ("6746295").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L48 | 8 | ("2002/0057057").URPN. | USPAT | ADJ | ON | 2010/09/01 10:24 |
| L49 | 2 | "3875456".pn. or "5847507". pn. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L50 | 13 | EP "0" "230" "336" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L51 | 1 | "6610563".pn. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L52 | 70 | ("4727457" "5040868" "5331512" "5545359" "5614131" "5686172" "6052500" "6103398" "6440877").PN. OR ("6610563").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L53 | 5 | "09"\$1"581"\$1"585" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L54 | 222784 | (Optic\$2 or (electro optic\$2) or electrooptic\$2 or (opto electronic) or optoelectronic) and (irradiat\$3 or bombard\$5 or blast\$3 or launch\$3 or strik \$3 or (fire or firing) adj upon or radiat\$3 or ((expos\$3 or illuminat\$3 or luminat\$3) near4 (radiation or electromagnetic or EM or radio) adj (waves or frequencies))) and (press or pressure or pressed or pressure or pression or compress\$3 or squish\$3 or squeez\$3 or squish\$3 or squash\$3 or smash\$3) and (separat\$4 or split\$4 or apart or divid\$4 or distan\$4) and (leadframe or lead frame or | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 |

| | | substrate or metal frame\$4 or PCB or protocol circuit board or carrier or wafer) | | | | |
|-----|-------|--|---------------------------|-----|----|---------------------|
| L55 | 3949 | L54 and (257/98- 99,116,434,680-681.ccls. or 438/22,25-27,29,48,115-116. ccls. or 385/31-41,92-94. ccls.) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L56 | 1987 | L55 and (press or pressed or pressing or compress or compressing or squeezed or squeezing or squeezed) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L57 | 232 | L56 and screw | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L58 | 1 | "6130448".pn. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L59 | 97 | ("4888634" "4902108" "5051802" "5148306" "5149958" "5302818" "5693967" "5814870" "5821615" "5861654" "5867368" "5869855" "5998862").PN. OR ("6130448").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L60 | 37051 | (deposit\$3 or form\$3 or coat \$3) with (leadframe or lead frame or substrate or metal frame\$4 or PCB or protocol circuit board or carrier or wafer) with surface with (protect\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L61 | 786 | L60 and (257/98- 99,116,434,680-681.ccls. or 438/22,25-27,29,48,115-116. ccls. or 385/31-41,92-94. ccls.) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L62 | 7776 | (deposit\$3 or form\$3 or coat \$3) with (leadframe or lead frame or substrate or metal frame\$4 or PCB or protocol circuit board or carrier or wafer) with surface with (protect\$3) with ((radiation near2 area) or device or (led or leds or I adj e adj d or electroluminescen\$4 or electro adj luminescen\$4 or electro adj luminescen\$4 or "I. e.d" or (emitter or emitting) near light) or sensor or (IC or integrated circuit or micro \$1processor or micro\$1chip or semi\$1conductor die or inner lead or micro\$circuit or chip or random access | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |

| | | memory or RAM or ASIC or Application specific integrated circuit or analog circuit or digital circuit or micro \$controller or (pin or ball) grid array or PGA or BGA or FC\$1PGA or leadless cheap carrier or LCC or flip chip or flip\$1chip or fli\$1chips or controlled collapse chip connection or C4 or Direct Chip Attach or DCA)) | | | | |
|-----|-------|---|---------------------------|-----|----|---------------------|
| L63 | 365 | L62 and (257/98- 99,116,434,680-681.ccls. or 438/22,25-27,29,48,115-116. ccls. or 385/31-41,92-94. ccls.) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L64 | 1728 | L62 and protect\$3 near (leadframe or lead frame or substrate or metal frame\$4 or PCB or protocol circuit board or carrier or wafer) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L65 | 93 | L64 and (257/98- 99,116,434,680-681.ccls. or 438/22,25-27,29,48,115-116. ccls. or 385/31-41,92-94. ccls.) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L66 | 41 | L55 and (blumel or simon).in. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L67 | 87 | L55 and (osram or opto or gmbh).as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L68 | 2531 | L55 and (emit or emitting or emitter or transmit or transmitting or receiver or receiving or received or detect or detecting or detected).clm, ab. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L69 | 11289 | (press or pressed or pressing or compress or compressed or compressing or squeezed or squeezing or squeezed) near5 lens | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L70 | 283 | L69 and (257/98- 99,116,434,680-681.ccls. or 438/22,25-27,29,48,115-116. ccls. or 385/31-41,92-94. ccls.) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L71 | 29 | ("4766095" "5324888" "5734155" "5981945" "6121675").PN. OR ("6627872").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 10:24 |
| L72 | 2107 | 257/432.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 11:14 |

| L73 | 269 | | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 11:15 |
|-----|-----|--|---------------------------|-----|----|---------------------|
| L82 | 810 | 257/98-100,680,432-433.ccls. and (press or pressed or pressing or compress or compressed or compressing or squeezed or squeezing or squeezed or apart).clm. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 11:39 |
| L85 | 302 | 257/98-100,680,432-433.ccls. and (press or pressed or pressing or compress or compressed or squeezed or squeezed or squeezing or squeezed or apart).clm. and ((led or leds or I adj e adj d or electroluminescen\$4 or electro adj luminescen\$4 or "I. e.d") or (emitter or emitting) near (light or EM wave or electromagnetic or electromagnetic) near5 (coat\$3 or seal\$3 or encapsul\$5 or encas \$5 or packag\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/09/01 11:41 |

EAST Search History (Interference)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|--|-----|---------------------|---------|------------------|
| L79 | 0 | ((press or pressed or pressing or compress or compressed or compressed or squeezed or squeezing or squeezed) and ((cure or curied or curing) or ((cured or curing or cure) near2 (partly or partially))) and (coat\$3 or seal\$3 or encapsul\$5 or encas\$5 or packag\$3) near5 ((led or leds or l adj e adj d or electroluminescen\$4 or electro adj luminescen\$4 or "l. e.d") or (emitter or emitting) near (light or EM wave or electromagnetic or electromagnetic or electromagnetic) and (case or housing) and (carrier or substrate) near4 electrode). clm. | | ADJ | ON | 2010/09/01 11:36 |

| L81 | 15 | ((press or pressed or pressing or compress or compressed or compressed or squeezed or squeezing or squeezed) and ((cure or curing or curing) or ((cured or curing or cure) near2 (partly or partially))) and (coat\$3 or seal\$3 or encapsul\$5 or encas\$5 or packag\$3) near5 ((led or leds or I adj e adj d or electroluminescen\$4 or electro adj luminescen\$4 or electro adj luminescen\$5 or electro adj luminescen\$6 or electro adj luminescen\$6 or electro adj luminescen\$6 or electro adj luminescen\$7 or electro adj luminescen\$8 or electro adj luminescen\$8 or electro adj luminescen\$8 or electro adj luminescen\$9 or electro adj luminescen\$9 or electro adj luminescen\$1 or electro adj luminescen\$2 or electro adj luminescen\$3 or electro adj luminescen\$4 or electro adj lu | USPAT; UPAD | ADJ | ON | 2010/09/01 11:36 |
|-----|----|---|----------------|-----|----|------------------|
| L84 | 21 | ((press or pressed or pressing or compress or compressed or compressed or squeezed or squeezing or squeezed or apart) and ((cure or curied or curing) or ((cured or curing or cure) near2 (partly or partially))) and (coat\$3 or seal\$3 or encapsul\$5 or encas\$5 or packag\$3) near5 ((led or leds or I adj e adj d or electroluminescen\$4 or electro adj luminescen\$4 or electro adj luminescen\$4 or "I. e.d") or (emitter or emitting) near (light or EM wave or electromagnetic or electromagnetic))).clm. | USPAT; UPAD | ADJ | ON | 2010/09/01 11:41 |

9/1/2010 11:50:14 AM

C:\ Documents and Settings\ psene\ My Documents\ EAST\ Workspaces\ 10585175Blumel.wsp